





STORES FOR PERSONNEL						
COMPT NO.	SPACE	LOCATION (FRAMES)	DECK	SALE VOLUME CU FT.	LOI	LOI
A-202A	MEDICAL STORES	12-17 S	1ST PLAT.	850		ITI.
B-101-A	SHIPS STORES	105-108 P	MAIN DK.	500		
B-101-L	SHIPS SERVICE STORE	59-62 P4S	MAIN DK.	1,070		60
B-205-A	CLOTHES STORE	83-86 S	1ST PLAT.	640		
B-209-1A	MEDICAL STORES	90-95 P	1ST PLAT.	880		
B-209-1A	SHIPS STORE STORES	83-89 P4S	1ST PLAT.	3,280		
B-0103-A	MEDICAL STORES	97-99 P	UPPER DK.	190		
			TOTAL	7,390		


REV-25-133




FIRST PLATFORM




SECOND PLATFORM




TANK TOP




TANK ARRANGEMENT





INBOARD PROFILE




SUPERSTRUCTURE DECK




NAVIGATION DECK




REV-25-133-9




INBOARD PROFILE




NAVIGATION DECK



TOP OF HOUSE



UPPER DECK



MAIN DECK

FUEL OIL TANKS & FUEL OIL SETTLING TANKS									
TANK NO.	LOCATION (FRAMES)	90% CAPACITY		FULL CAPACITY		NET WT. OF OIL (LBS.)	NET WT. OF TANK (LBS.)	LONG. C.V.	ACT. WT.
		GALLONS	NET WT. (LBS.)	GALLONS	NET WT. (LBS.)				
FUEL OIL TANKS									
A-901F	12-27(E)	12,480	49.0	13,120	47.4	5.15	10,880		
A-902F	27-40(F)	9,360	33.9	9,880	35.7	2.17	12,120		
A-903F	37-40(E)	9,840	35.7	10,400	37.1	2.17	12,120		
A-904F	40-56(E)	10,080	36.4	10,640	37.1	1.54	9,171		
A-905F	40-56(F)	9,040	32.6	9,520	34.4	1.70	8,631		
A-906F	56-68(E)	9,040	32.6	9,520	34.4	1.70	8,631		
A-907F	56-68(F)	11,240	40.6	11,800	42.7	1.54	9,677		
A-908F	56-68(F)	10,160	38.7	10,700	38.6	1.59	9,644		
A-909F	68-80(E)	10,160	38.7	10,700	38.6	1.59	9,644		
B-901F	68-83(E)	13,940	50.3	14,670	53.0	1.56	12,310		
B-902F	80-89(F)	14,200	51.8	14,980	54.0	1.59	12,296		
B-903F	89-89(E)	14,270	51.5	15,020	54.2	1.59	12,304		
B-904F	94-108(E)	13,040	47.1	13,730	49.6	1.56		40.44	
B-910F	94-109(F)	12,750	46.0	13,420	48.4	1.62		40.19	
B-911F	94-109(E)	12,740	46.0	13,410	48.4	1.62		40.19	
C-901F	108-124(E)	18,950	68.4	19,560	72.0	2.04		78.08	
C-902F	108-124(F)	13,120	45.8	13,760	46.1	2.27		77.30	
C-903F	108-124(E)	12,100*	45.7	12,740	46.0	2.27		77.30	
C-904F	124-135(E)	21,410	77.5	22,840	81.4	0.45		111.40	
C-2F	124-135(F)	20,900	75.3	22,000	79.4	1.56		110.81	
C-3F	124-135(F)	20,900	75.3	22,000	79.4	1.56		110.81	
C-405F	135-146(E)	25,960	95.1	27,550	96.7	1.54		130.59	
C-406F	135-146(F)	7,330	26.5	7.7	37.8	2.44		135.14	
C-407F	135-146(F)	7,330	26.5	7.7	37.8	2.44		135.14	
C-408F	146-156(E)	18,310	66.9	19,120	68.9	1.41		162.34	
C-409F	146-156(F)	14,010	51.8	15,120	54.6	1.73		161.09	
C-5F	146-156(F)	14,950	51.8	15,720	54.6	1.73		161.09	
TOTAL		566,270	520.7	587,850	1400.3				
FUEL OIL SETTLING TANKS									
B-1-3F	79-81(E)	0,050	28.1	84.0	30.6	16.15	8.77		
B-1-5F	81-83(E)	82.10	29.6	84.0	31.2	16.07	6.77		
B-3-2F	104-108(E)	0,060	0.0	84.0	30.6	16.15		90.77	
B-3-4F	108-108(E)	83.90	0.0	87.50	31.5	16.25		95.77	
TOTAL		576.10	117.7	549.70	123.9				

